


NECS Clinical Systems Specialist Team


SystemOne – Levothyroxine on Repeats Only

Identify Patients who are Taking Levothyroxine Only on Current Repeat

1. Build a report to identify patients on **Repeat Templates** for the action group **Thyroid Hormones**. Name the report “Thyroxine Action Group”.



2. Build another report to identify patients on **Repeat Template** for the action group **Endocrine**. Name the report “Endocrine Group”.



3. **Join** these 2 reports together and name it “Endocrine Group without Thyroid Drugs”. If “Thyroxine Action Group” is listed as Report 1 and “Endocrine Group” as Report 2 then use the join “**Report on patients found in Report two but not in Report one**”, otherwise use the “**Report on patients found in Report one but not in Report two**”. The reason for this is that Thyroid drugs are part of the endocrine action group and therefore need to be separated at this stage.

Join to two reports

Join to report one

Select report one

Clear report

Report information

Thyroxine action group
Dawn / Thyroxine only

Join to report two

Select report two

Clear report

Report information

Endocrine Group
Dawn / Thyroxine only

Join type

Report on patients found in report two but not in report one

- Build individual reports to represent all of the other available action groups (apart from Endocrine) on the system.
- Join** all of these reports together including the “Endocrine Group without Thyroid Drugs” report but do not include the first 2 reports built, i.e. “Thyroid Hormones” and “Endocrine Group”. Use the join **Report on patients found in any of the selected reports**. Name the report “**Any Drugs**”. This will be used to eliminate all drugs that are not Levothyroxine.

Join to more than two reports

Join to reports

Select report(s)

Remove report(s)

Report information

Name	Category
Aneath GP	Dawn / Thyroxine only
Cardio GP	Dawn / Thyroxine only
Central Nervous GP	Dawn / Thyroxine only
Ear Nose GP	Dawn / Thyroxine only
Endocrine gp not Tyroid gp	Dawn / Thyroxine only
Eye GP	Dawn / Thyroxine only
Gastro GP	Dawn / Thyroxine only
Hepatic GP	Dawn / Thyroxine only
Herbal	Dawn / Thyroxine only
Homo GP	Dawn / Thyroxine only
Immuno GP	Dawn / Thyroxine only
Infection GP	Dawn / Thyroxine only

Join type

Report on patients found in any of the selected reports

- Join** the report “Any Drugs” with the report “Thyroxine Action Group”. If “Any Drugs” is listed as Report 1 and “Thyroxine Action Group” as Report 2 then use the join “**Report on patients found in Report two but not in Report one**”, otherwise use the “**Report on patients found in Report one but not in Report two**”. Name the report “Thyroid Only On Repeat”.

Join to two reports

Join to report one

Select report one

Clear report

Report information

any drugs GP
Dawn / Thyroxine only

IN Report 12
OR
IN Report 13
OR
IN Report 14
OR

Join to report two

Select report two

Clear report

Report information

Thyroxine action group
Dawn / Thyroxine only

Join type

Report on patients found in report two but not in report one

- Run the report and review the results.